

Notice of Allowability

Application No.	Applicant(s)	
09/851,238	BUSH, ERIC N.	
Examiner	Art Unit	
Sathyanarayan Pannala	2167	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--
All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 6/22/2004.
2. ☒ The allowed claim(s) is/are 4-14 and 23-31.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

Sathyanarayan Pannala
Patent Examiner
Art Unit 2167

DETAILED ACTION

1. Applicant's Amendment filed on 6/22/2004 contains amended claims are 4-14, cancelled claims are 1-3 and 15-22 and added claims are 23-31. As per this Office Action, claims 4-14, and 23-31 are pending.
2. Amendment to the Specification filed on 6/22/2004 has been entered.

Drawings

3. The drawings were filed on 6/22/2004 are received. These drawings are Fig. 1-3.

EXAMINER'S AMENDMENT

4. The application specification has been amended as follows:
Page 1, line 4, after "09/513,812", Insert as now patent (US Patent 6,754,664)

Reasons for Allowance

5. The following is an examiner's statement of reasons for allowance:
 - Prior art of record fails to teach claims 4 and 6 as notifying specific objects whenever the objects exceeds the threshold value. In the Non-final Office

Art Unit: 2167

Action mailed on 3/22/2004, the above stated claims were objected. The

Applicant cancelled rejected claims 1-3 and 15-22.

- Knight (US Patent 6,126,330) hereinafter Knight teaches run time instrumentation for providing feedback from users of object oriented applications where the applications have unique object identifiers and support dynamic data exchange. The invention utilizes a setup software tool to create a monitor input file, which indicates which objects of the application should be monitored when a user interacts with them. Whereas Watson et al. (US Patent 6,631,409) teaches a method for monitoring the server, which is connected with a plurality of elements.

6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sathyanarayan Pannala whose telephone number is (703) 305-3390. The examiner can normally be reached on 8:00 am - 5:00 pm.

Art Unit: 2167


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Breene can be reached on (703) 305-9790. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Sathyanarayan Pannala
Examiner
Art Unit 2177

srp
November 9, 2004


SATHYANARAYAN PANNALA
PRIMARY EXAMINER